


AEROMAX L.E.D MINI LIGHT BOXES

New to the Narva Emergency Lighting offering for 2016, these super compact, low profile and modern styled light boxes are aptly named 'Aeromax'. They offer a premium warning light solution with outstanding performance, exceeding SAE Class 1 Approvals. The use of high powered L.E.D modules, the two sizes and option of a magnetic or flange base make these a perfect fit for roadside service vehicles, councils, and light commercial worksite vehicles.

IP Rating: IP65



PART No. / DESCRIPTION



85010AC

12/24 Volt Aeromax Mini L.E.D Light Box (Amber) Flange Base with Clear Lens

A Compact L.E.D Light box that can be used in pairs to replace traditional rotating beacons

Features: 8 selectable flash patterns utilising 10 x 3 high powered L.E.D modules for outstanding 'Class 1' output. Virtually unbreakable polycarbonate lens and a flange base with low profile brackets for permanent mounting

Peak current draw: 1.6A at 12V, 0.8A at 24V



85012AC

12/24 Volt Aeromax Mini L.E.D Light Box (Amber) Magnetic Base with Clear Lens

Small and compact allowing for easy storage and ideal for temporary fitment. Includes two ceramic disc magnets with rubber protective covers to prevent damage to vehicle along with a convenient 3m long lead and cigarette lighter plug

Features: 8 selectable flash patterns utilising 10 x 3 high powered L.E.D modules for outstanding 'Class 1' output and a virtually unbreakable polycarbonate lens


Peak current draw: 1.6A at 12V, 0.8A at 24V



Off/On & Flash pattern selector switch



Rubber suction cap protects paintwork



85014AC

12/24 Volt Aeromax Mini L.E.D Light Box (Amber) Flange Base with Clear Lens


Can be used on its own or in pairs as a mini light bar solution

Features: 8 selectable flash patterns utilising 14 x 3 high powered L.E.D modules for outstanding 'Class 1' output. Virtually unbreakable polycarbonate lens and a flange base with low profile brackets for permanent mounting

Peak current draw: 1.9A at 12V, 0.9A at 24V



AEROMAX L.E.D MINI LIGHT BOXES



PART No. / DESCRIPTION

85010A

12/24 Volt Aeromax Mini L.E.D Light Box (Amber) Flange Base with Amber Lens

Features: 8 selectable flash patterns utilising 10 x 3 high powered L.E.D modules for outstanding 'Class 1' output. Virtually unbreakable polycarbonate lens and a flange base with low profile brackets for permanent mounting

Peak current draw: 1.6A at 12V, 0.8A at 24V



85012A

12/24 Volt Aeromax Mini L.E.D Light Box (Amber) Magnetic Base with Amber Lens

Small and compact allowing for easy storage and ideal for temporary fitment. Includes two ceramic disc magnets with rubber protective covers to prevent damage to vehicle along with a convenient 3m long lead and cigarette lighter plug

Features: 8 selectable flash patterns utilising 10 x 3 high powered L.E.D modules for outstanding 'Class 1' output and a virtually unbreakable polycarbonate lens


Peak current draw: 1.6A at 12V, 0.8A at 24V



Off/On & Flash pattern selector switch



Rubber suction cap protects paintwork



85014A

12/24 Volt Aeromax Mini L.E.D Light Box (Amber) Flange Base with Amber Lens

Can be used on its own or in pairs as a mini light bar solution

Features: 8 selectable flash patterns utilising 14 x 3 high powered L.E.D modules for outstanding 'Class 1' output. Virtually unbreakable polycarbonate lens and a flange base with low profile brackets for permanent mounting

Peak current draw: 1.9A at 12V, 0.9A at 24V



FLASH PATTERNS

1 Single (Constantly On)



2 Double (All Flashing)



3 Ultra (Alternate Flashing)



4 Ultra (Cross Flashing)



5 Quint Rotating



6 Rotating



7 Ultra (All/Alt. Flash)



8 Ultra-Double (All Flashing)

